




Wall cabinets







Install wood dowels and screws on the left and right side panels Fixed wood tenon and screw, fixed hinge base




Place the bottom panel and Rear slats




Place the back panel




Place the side panel




Place and fix the connection




Install the hanging bracket, turn over the cabinet




Place the shelf support.




Place the shelf on the shelf support.




Finish the carcase assembly



Place the Anti-collision particle



Install the door, fix the hinge into hinge base



Fix the handle, End of the assembly


## Mount the cabinets to the wall by hanger process

## Steps:


- 1. Confirm the hanger line on the wall (60mm below the top of the wall cabinet, 20mm within the side panel of the wall cabinet, match the drawing No. 1)
- 2, drill the hole on the wall, place the wall expand plug with 5mm\*40mm screw, install the wall hanger on the wall, one wall cabinet need 2 wall hanger match the drawing No. 2)
- 3. Hang the assembled wall cabinet on the wall hanger, Please proceed with this step carefully.
- 4, adjust and tighten the screw of the wall cabinets' suspension fittings, like drawing No. 3; make sure the carcass is flush with the wall.

## Note:

- 1. Double the wall's situation such as electric wires and water pipes before drill the hanger hole. Use the Glass hole opener drill the hanger hole if need.
- 2. The drill line must be flush with the ground,
- 3. After the installation of a single wall cabinet, it can be fixed with glue to prevent shaking.







No, 1

No, 2

No, 3